

Release Notes

HARVEY® Composer

Version 2.9.1

Compatible with HARVEY Pro firmware version 2.2.x — 2.9.x

FIXES

- ✓ Fixed project load error that occurred in combination with Dante Domain Manager
- ✓ Fixed possible Matrix block failure after HARVEY power-up.*

**Note: The matrix bug was introduced in HARVEY firmware v2.9. Upgrade to v2.9.1 is highly recommended to ensure proper Matrix functionality.*

Version 2.9

Compatible with HARVEY Pro firmware version 2.2.x — 2.9.x

New

- ✓ New processing block “Wind » Level” allows audio levels to be controlled by wind speed and direction by attaching an external anemometer to the HARVEY voltage inputs.
- ✓ Added support for the new HARVEY 8x8 Dante AES8 device

IMPROVEMENTS

- ✓ Level Meters are grayed out when not connected
- ✓ Speed-up of large matrix parametrization

FIXES

- ✓ Fixed Error when loading Projects onto HARVEY with AES or Dante blocks being directly connected.

FIRMWARE 2.9.0.0

- ✓ Added new block type “Wind » Level”;
- ✓ Added support for HARVEY 8x8 Dante AES8 device

- ✓ Speed-up large Matrix parametrization.
Example: It now takes less than 100 Milliseconds to unmute 128 matrix nodes via H-Text.

Version 2.8

Compatible with HARVEY Pro firmware version 2.2.x — 2.8.x

New

- ✓ New "Level Up/Down" block that allows incremental level control using logic events, e.g. coming from RC12 buttons
- ✓ New "Zone Control" block allows to send controlling signals into different zones, based on zone selection.
- ✓ RC4 and RC12 got new "Switching" Mode for the button coloring. "Switching" mode allows the configuration of a second button color which will be switched when the status of an attached block changes, e.g. to indicate source or zone selection, flipflop or level mute state.

IMPROVEMENTS

- ✓ Improved readability of Dynamic block diagram texts
- ✓ Added little triangle/arrow indication on ports and wire bundles that are capable of return status

FIXES

- ✓ Fixed Error when switching mute on a device without having a project opened
- ✓ Fixed Copy/Paste error that could occur for RC4 and RC12 blocks

FIRMWARE 2.8.0.0

- ✓ Added support for new block types "Level Up/Down" and "Zone Control"
- ✓ Added support for RC color switching
- ✓ Fixed crash of H-Text communication service that could occur when control client sends multiple requests and then closes the connection without awaiting the response.

Version 2.7.1

Compatible with HARVEY Pro firmware version 2.2.x — 2.7.x

IMPROVEMENTS

- ✓ Improved checks Hypermatrix configuration before sending project to device (i.e. device name, type, IP address and port of connected device are checked to match project configuration)

FIXES

- ✓ Fixed: Parameter separation did not always work correctly after releasing channels from a group.

Version 2.7.0

Compatible with HARVEY Pro firmware version 2.2.x — 2.7.x

IMPROVEMENTS

- ✓ Dynamic, Ducker and AGC blocks show online status when used in connection with Firmware v2.7.0.0 or newer.
- ✓ Hypermatrix setup allows to override automatic device discovery by entering static IP addresses. That may be necessary in some networks which have restrictive routing or switch configurations.

Note: IP-Address/Port settings entered in the Hypermatrix setup must match those that are configured in the devices. Don't disable automatic device discovery if you have dynamic IP addressing (DHCP) configured in your device settings because the device addresses may then change on power cycle without notice.

- ✓ Hypermatrix global mute switch produces warning if not all devices are connected

FIXES

- ✓ Fixed web interface block error message in recent versions of HARVEY Composer.
- ✓ DSP load indication has been improved for Hypermatrix projects

FIRMWARE 2.7.0.0

- ✓ Fixed Hypermatrix project loading which could fail for large projects due to internal timeouts.
- ✓ Provide online status for Dynamic, Ducker and AGC.
- ✓ Level-To-Logic block parameter "Hold Time" now only applies to the active state of the block, as is described in the manual. Previously also the inactive state was held.
- ✓ Fixed Dynamic block limiter to respect the configured threshold independent of the Dynamic block gain parameter.

Version 2.6.0

Compatible with HARVEY Pro firmware version 2.2.x, 2.3.x, 2.4.x, 2.5.x, 2.6.x (not compatible with mx.16)

IMPROVEMENTS

- ✓ Project file path in Cockpit is displayed at mouseover
- ✓ Matrix block dimensions are reducible in properties dialog

FIXES

- ✓ Fixed weird scaling effects of HARVEY Composer on high resolution displays
- ✓ Fixed failing firmware update on devices running large matrix projects

FIRMWARE 2.6.0.0

- ✓ Speed up H-Text SET and SUB commands with H-Text transactions using new BEGIN/END statements
- ✓ Matrix block performance improved by up to 40%
- ✓ Fixed handling of invalid input selector configuration via H-Text

Version 2.5.0

Compatible with HARVEY Pro firmware version 2.2.x, 2.3.x, 2.4.x, 2.5.x (not compatible with mx.16)

NEW

- ✓ Added RC12 control block

FIXES

- ✓ Fixed Composer lagging in projects with large presets

FIRMWARE 2.5.0.0

- ✓ Doubled DSP matrix block performance
- ✓ Added support for RC12 block
- ✓ Added H-Text command to store presets (see H-Text manual v2.5)
- ✓ Fixed fan control for temperatures >100°C
- ✓ Fixed issue that could cause HARVEY to hang in “booting...” state after power up

Version 2.4.5 (release Jan 04th, 2020)

Compatible with HARVEY Pro firmware version 2.2.x, 2.3.x, 2.4.x (not compatible with mx.16)

FIRMWARE 2.4.5.0

- ✓ Updated support for devices with integrated fan

Version 2.4.3 (release Dec 20th, 2019)

Compatible with HARVEY Pro firmware version 2.2.x, 2.3.x, 2.4.x (not compatible with mx.16)

FIRMWARE 2.4.5.0

- ✓ Added support for devices with integrated fan

Version 2.4.2 (release Dec 20th, 2019)

Compatible with HARVEY Pro firmware version 2.2.x, 2.3.x, 2.4.x (not compatible with mx.16)

NEW

- ✓ Switched to new HARVEY Pro naming scheme
- ✓ Added support for all HARVEY Pro devices

FIXES

- ✓ Web Block configuration window will adapt size correctly when screen size changes to low resolution (e.g. when connecting laptop with video projector)
- ✓ Display of Input Selector with large number of inputs has been improved in Web Block editor.

FIRMWARE 2.4.2.0

- ✓ Default device name of HARVEY Pro devices contains MAC address to avoid duplicate names in network.
- ✓ Added display of current device temperature to Device Status screen
- ✓ Improved handling of internal SD card
- ✓ Improved DSP stability upon Dante card errors

Version 2.3.0 (release Oct 7th, 2019)

Compatible with HARVEY Pro firmware version 2.2.x, 2.3.x (not compatible with mx.16)

NEW

- ✓ Added new processing block Input Selector
- ✓ Channels of processing blocks can go up to 64, Matrix up to 80
- ✓ Added Copy & Paste functionality
- ✓ Upgrade .Net Framework dependency to 4.5 (drop Windows XP support)
- ✓ "Beta" tag removed from Web Interface block

FIXES

- ✓ Matrix UI performance improved
- ✓ VU-Meter UI performance improved
- ✓ Cockpit interaction with RC4 fixed/improved

- ✓ Better robustness for online Hypermatrix projects

FIRMWARE 2.3.0.0

- ✓ Better robustness and corrections for Hypermatrix projects
- ✓ Better robustness for projects with many RC4

Version 2.2.2 (release Jun 19th, 2019)

Compatible with HARVEY Pro firmware version 2.2.x (not compatible with mx.16)

NEW

- ✓ Added support for HARVEY 16x8 devices

FIXES

- ✓ Fixed error when opening device setup for devices with incompatible firmware.
- ✓ Fixed inconsistent behavior after opening block properties within wire connector form.

Version 2.2.1 (release Jun 10th, 2019)

Compatible with HARVEY Pro firmware version 2.2.x (not compatible with mx.16)

NEW

- ✓ Project type Hypermatrix allows creation of projects with multiple HARVEY devices
 - ✓ RC4-DMX block can connect RC4 wall panel with DMX channel
 - ✓ New HARVEY device types have been added
 - ✓ Dante interface adopts configured HARVEY device name
- WARNING: Dante routing in existing projects has to be redone for devices receiving audio from HARVEY after update.

IMPROVEMENTS

- ✓ Default lookahead for Dynamic, Ducker, AGC has been changed to 0ms

FIXES

- ✓ Fixed wire routing deadlocks in handling of some large projects
- ✓ Several minor stability fixes

Version 2.1.4.0 (release Oct 12th, 2018)

Compatible with firmware version 2.1.x

FIXES

- ✓ Improved Copy/Paste within ID list

FIRMWARE 2.1.4.0

- ✓ Fix other control connections being affected/blocked by unreachable client (#2645)

Version 2.1.3.0 (released Sep 25th, 2018)

Compatible with firmware version 2.1.x

NEW

- ✓ Password protection for project
- ✓ Support for HARVEY 4x0 Dante and HARVEY 0x8 Dante device types

FIRMWARE 2.1.3.0

- ✓ Support for HARVEY 4x0 Dante and HARVEY 0x8 Dante device types
- ✓ HARVEY 8x8: Improved DSP Performance
- ✓ HARVEY 8x8: Fixed Display not having power under rare boot conditions
- ✓ Improved HARVEY discovery speed with multiple HARVEY devices in the network
- ✓ Fixed condition causing hang up during boot, standing on "Booting..." on display in some cases
- ✓ Fixed network going through dynamic configuration during boot even if manual was supplied

Version 2.0.4.0 (released July 25th, 2018)

Compatible with firmware version 2.0.x

NEW

- ✓ Support for new HARVEY generation devices (HARVEY 8x8, HARVEY 8x8 Dante) added.
- ✓ Conversion of projects between different device categories added (use dropdown below worksheet)
- ✓ RC4 remote control support added for new generation devices
- ✓ Project conversion support for very old projects (e.g. created using HARVEY Mentor 0.9.9.32)

FIXES

- ✓ Fixed display of DSP usage after performing undo/redo on worksheet
- ✓ Fixed Flipflop port naming after project load

FIRMWARE 2.0.4.0

- ✓ Support for new HARVEY generation devices
- ✓ Fixed renaming of mx.16 devices on user interface
- ✓ Fixed IP subnet handling

Version 1.9.1.0 (released April 26th, 2017)

Compatible with firmware version 1.8.x, 1.9.x

NEW

- ✓ H-Text offers asynchronous Subscription/Notification mechanism

FIXES

- ✓ Fixed renaming of hardware i/o blocks (e.g. audio input, dante input, etc.)
- ✓ Fixed project converter when loading cobranet projects created with composer 1.2.x (e.g. example files from HARVEY homepage)

FIRMWARE 1.9.1.0

- ✓ Fixed H-Text stability issues
- ✓ Fixed spurious crossover bypass
- ✓ Fixed temperature false alarms (ERR07/ERR08) during boot
- ✓ Fixed DMX parameter problem during boot (ERR19/ERR01)
- ✓ Fixed error when loading large projects (web) from the device
- ✓ Improved overall control performance
- ✓ Improved webserver performance

Version 1.8.6.0 (released January 5th, 2017)

Compatible with firmware version 1.8.x, 1.9.x

IMPROVEMENTS

- ✓ Improved loading performance of web interface projects

FIXES

- ✓ Fixed software update wizard which stopped working in version 1.8.3.1 when language was set to Chinese.

FIRMWARE 1.8.6.0

- ✓ Fixed several firmware initialization bugs which would cause system boot or project loading to fail under rare circumstances.
- ✓ Fixed network configuration bug which caused manual IP address settings not to be applied properly in some cases.
- ✓ Fixed TCP and serial block parameters not being loaded properly after having been changed online

Version 1.8.3.1 (released June 20th, 2016)

Compatible with firmware version 1.8.x, 1.9.x

IMPROVEMENTS

- ✓ Updated Chinese User Interface translations

Version 1.8.3 (released April 1st, 2016)

Compatible with firmware version 1.8.x, 1.9.x

NEW

- ✓ Added Web-Interface block
- ✓ Added DMX >> Logic block
- ✓ Added DMX >> Gain Control block

Version 1.7.1 (released August 28th, 2015)

Compatible with firmware version 1.7.x

IMPROVEMENTS

- ✓ Significant speedup of large parameter updates in Composer upon parameter changes in the HARVEY device (e.g. through preset call).

FIXES

- ✓ Fixed incomplete update of Composer windows after calling a preset containing a large number of parameters (e.g. including DMX or large Matrix block)

Version 1.7.0 (released August 13th, 2015)

Compatible with firmware version 1.7.x

IMPROVEMENTS

- ✓ Ask user what to do if a bundle is dragged on a block which does not provide enough channels or where some of the channels are already connected.

FIXES

- ✓ Fixed various errors in Preset view
- ✓ Fixed crashes on Windows XP
- ✓ Fixed problems when removing channels from Automixer
- ✓ Fixed undefined behaviour of open parameter panels and presets which occurred in some cases after changing project layout.
- ✓ Fixed Undo-Button in DMX Parameter panel

- ✓ Fixed Crash that occurred when dragging control wire backwards on Automixer

Version 1.6.0 (released April 9th, 2015)

NEW

- ✓ DMX Parameters are settable through parameter dialog (#736)
- ✓ DMX Parameters may now be added to presets (#735)
- ✓ Added DMX Fadetime parameter (#737)
- ✓ Added Support for HARVEY Firmware 1.7

Version 1.5.0 released January 28th, 2015)

Compatible with firmware version 1.6.0

IMPROVEMENTS

- ✓ Added new block "UDP Client" to control library
- ✓ Renamed the former block "Ethernet Interface" to "TCP Server"
- ✓ Added new block "Toggle Flip-Flop" (T-FlipFlop) to control library

Version 1.4.0 (released October 1st, 2014)

Compatible with firmware version 1.5.0

IMPROVEMENTS

- ✓ Added Audinate's Dante multi-channel networking technology with support for additional 16x16 digital audio channels (HARVEY Dante device variant required)
- ✓ New functional block Automatic Volume Control (AVC) (AVC function requires specific AVC firmware variant)
- ✓ New human readable control protocol named "H-Text" supporting Ethernet and serial interface blocks RS232 and RS485
- ✓ Added Chinese language support in Composer installer and application

FIXES

- ✓ Fixed problems that occurred when opening projects which were created on a Windows system with different language/culture settings
- ✓ Fixed automatic route creation for HARVEY devices in the local network with an unreachable IP configuration on Windows 7
- ✓ Fixed Harvey Route Service crash on non-German Windows systems

Version 1.2.2 (released December 10th, 2013)

IMPROVEMENTS

- ✓ Added performance estimation for Firmware 1.3.1

FIXES

- ✓ Fixed crash caused by a combination of deleting an input block on the worksheet and opening the connection dialog for another input block.
- ✓ Fixed crash caused by deleting a link while having its link dialog opened.
- ✓ Fixed font and layout problems in Chinese Windows 7.
- ✓ Fixed number boxes for language environments using a dot as decimal separator, e.g. English or Chinese.
- ✓ Fixed crash caused by dragging wires from hardware ports.
- ✓ Fixed bundle connecting problems which occurred after accidentally dragging the bundle beyond the stack which it was supposed to be connected to.

Version 1.2.1 (released August 19th, 2013)

FIXES

- ✓ Fixed problems of block transparency on the worksheet not being reset correctly when switching from preset tab to library or other tabs in the side bar.